

Safety Data Sheet
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
 OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** PTC-85 v.4
- **Article number:** 100926
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Acidic cleaner.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Theochem Laboratories
7373 Rowlett Park Drive
Tampa, FL 33610
Phone: 813-237-6463
- **1.4 Emergency telephone number:**
ChemTel Inc.
(800)255-3924, +1 (813)248-0585



SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).



corrosion

Met. Corr.1 H290 May be corrosive to metals.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xi; Irritant

R36/38: Irritating to eyes and skin.

- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

Trade name: PTC-85 v.4

(Contd. of page 1)

- **Additional information:**

There are no other hazards not otherwise classified that have been identified.
0 percent of the mixture consists of component(s) of unknown toxicity

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS05

- **Signal word** Warning

- **Hazard-determining components of labelling:**

hydrochloric acid

phosphoric acid

- **Hazard statements**

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

- **Precautionary statements**

P280 Wear protective gloves / eye protection.

P234 Keep only in original container.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P406 Store in corrosive resistant container with a resistant inner liner.

- **Hazard description:**

- **WHMIS-symbols:**

D2B - Toxic material causing other toxic effects

E - Corrosive material



- **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 0

Reactivity = 0

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

Trade name: PTC-85 v.4

(Contd. of page 2)

- **HMIS-ratings (scale 0 - 4)**

| | | |
|------------|---|----------------|
| HEALTH | 1 | Health = 1 |
| FIRE | 0 | Fire = 0 |
| REACTIVITY | 0 | Reactivity = 0 |

- **HMIS Long Term Health Hazard Substances**

None of the ingredients are listed.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

| | | |
|---|---|---------|
| CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-00-2 | hydrochloric acid  C R34;  Xi R37 -----  Met. Corr. 1, H290;  Skin Corr. 1B, H314  STOT SE 3, H335 | 2,5-10% |
| CAS: 68131-39-5 NLP: 500-195-7 | alcohols, C12-15, ethoxylated  Xi R41;  N R50 -----  Eye Dam. 1, H318  Aquatic Acute 1, H400 | 2,5-10% |
| CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6 | phosphoric acid  C R34 -----  Skin Corr. 1B, H314 | ≤ 2,5% |

- **Additional information:**

For the wording of the listed risk phrases refer to section 16.

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.

- **After inhalation:**

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

Immediately rinse with water.

If skin irritation continues, consult a doctor.

(Contd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

Trade name: PTC-85 v.4

(Contd. of page 3)

- **After eye contact:**
Remove contact lenses if worn, if possible.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
Gastric or intestinal disorders.
Coughing
Breathing difficulty
Nausea
Acidosis
- **Hazards** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
Medical supervision for at least 48 hours.
If necessary oxygen respiration treatment.
Contains hydrochloric acid.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information** No further relevant information available.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.
Isolate area and prevent access.
Ensure adequate ventilation
- **6.2 Environmental precautions:**
Do not allow to enter sewers/ surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Pick up mechanically.
Send for recovery or disposal in suitable receptacles.
Use neutralising agent.
Clean the affected area carefully; suitable cleaners are:

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

Trade name: PTC-85 v.4

(Contd. of page 4)

Warm water

Dispose contaminated material as waste according to item 13.

- **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

Use only in well ventilated areas.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Keep receptacles tightly sealed.

- **Information about fire - and explosion protection:** The product is not flammable.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from oxidising agents.

Store away from metals.

- **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

7647-01-0 hydrochloric acid
IOELV (EU) Short-term value: 15 mg/m³, 10 ppmLong-term value: 8 mg/m³, 5 ppmPEL (USA) Ceiling limit: 7 mg/m³, 5 ppmREL (USA) Ceiling limit: 7 mg/m³, 5 ppmTLV (USA) Ceiling limit: 2,98 mg/m³, 2 ppm

EL (Canada) Short-term value: C 2 ppm

(Contd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

Trade name: PTC-85 v.4

(Contd. of page 5)

7664-38-2 phosphoric acid

| | |
|-------------|---|
| IOELV (EU) | Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³ |
| PEL (USA) | Long-term value: 1 mg/m ³ |
| REL (USA) | Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ |
| TLV (USA) | Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ |
| EL (Canada) | Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ |
| EV (Canada) | Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ |

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale gases / fumes / aerosols.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Respiratory protection:**

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

- **Protection of hands:**



Protective gloves

Rubber gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

Trade name: PTC-85 v.4

(Contd. of page 6)

- **For the permanent contact gloves made of the following materials are suitable:**
Butyl rubber, BR
Neoprene gloves
- **Not suitable are gloves made of the following materials:** PVA gloves
- **Eye protection:**



Safety glasses

- **Body protection:** Acid resistant protective clothing
- **Limitation and supervision of exposure into the environment**
No further relevant information available.
- **Risk management measures**
See Section 7 for additional information.
No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

| | |
|---------|----------------------|
| Form: | Liquid |
| Colour: | Opaque Light blue |

- | | |
|-----------------------------------|---|
| · Odour: | Pleasant |
| · Odour threshold: | Not determined. |
| · pH-value at 20 °C (68 °F): | 1,5 - 2,5 |
| · Change in condition | |
| Melting point/Melting range: | Not Determined. |
| Boiling point/Boiling range: | 100 °C (212 °F) |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not applicable. |
| · Auto/Self-ignition temperature: | Not determined. |
| · Decomposition temperature: | Not determined. |
| · Self-igniting: | Product is not self-igniting. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapour pressure: | Not determined. |
| · Density at 20 °C (68 °F): | 1,06 - 1,08 g/cm ³ (8,846 - 9,013 lbs/gal) |

(Contd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

Trade name: PTC-85 v.4

(Contd. of page 7)

- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** < 1 (Butyl acetate = 1)
- **Solubility in / Miscibility with water:** Soluble.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not determined.
 - Kinematic:** Not determined.
- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
Keep away from heat and direct sunlight.
- **10.3 Possibility of hazardous reactions**
Violent reactions with strong alkalis and oxidising agents.
Reacts with various metals.
Reacts with amines.
Toxic fumes may be released if heated above the decomposition point.
Reacts with many consumer products, releasing chlorine or chlorine oxide gas.
- **10.4 Conditions to avoid** Keep away from heat and direct sunlight.
- **10.5 Incompatible materials:**
Warning! Do not use together with other products. May release dangerous gases (chlorine).
- **10.6 Hazardous decomposition products:**
Corrosive gases/vapours
Irritant gases/vapours
Hydrogen chloride (HCl)
Chlorine
Phosphorus compounds

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values relevant for classification:** None.
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitisation:** No sensitising effects known.

(Contd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

Trade name: PTC-85 v.4

(Contd. of page 8)

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:** The product contains materials that are harmful to the environment.

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:**

Harmful to fish

After neutralisation a reduction of the harming action may be recognised

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Dilute concentrate with water and neutralise afterwards with suitable alkali material (sodium hydroxide solution, lime). The formed neutral salts are relatively environment-friendly.

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

(Contd. on page 10)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

Trade name: PTC-85 v.4

(Contd. of page 9)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN-Number**
- **DOT, ADR, IMDG, IATA** UN3264
- **14.2 UN proper shipping name**



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 5 L (1.3 gal).

- **DOT, IATA** Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric Acid, Phosphoric Acid)
- **ADR** 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric Acid, Phosphoric Acid)
- **IMDG** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric Acid, Phosphoric Acid)

- **14.3 Transport hazard class(es)**

- **DOT**



- **Class** 8 Corrosive substances.
- **Label** 8

- **ADR**



- **Class** 8 (C1) Corrosive substances.
- **Label** 8

- **IMDG, IATA**



- **Class** 8 Corrosive substances.
- **Label** 8

- **14.4 Packing group**

- **DOT, ADR, IMDG, IATA** III

- **14.5 Environmental hazards:**

- **Marine pollutant:** No

- **14.6 Special precautions for user** Warning: Corrosive substances.

(Contd. on page 11)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

Trade name: PTC-85 v.4

(Contd. of page 10)

- **Danger code (Kemler):** 80
- **EMS Number:** F-A,S-B
- **Segregation groups** Acids
- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

-
- **ADR**
 - **Limited quantities (LQ)** 5L
 - **Transport category** 3
 - **Tunnel restriction code** E
 - **UN "Model Regulation":** UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric Acid, Phosphoric Acid), 8, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 355 (extremely hazardous substances):**

| | |
|-----------|-------------------|
| 7647-01-0 | hydrochloric acid |
|-----------|-------------------|

· **Section 313 (Specific toxic chemical listings):**

| | |
|-----------|-------------------|
| 7647-01-0 | hydrochloric acid |
|-----------|-------------------|

| | |
|-----------|-----------------|
| 7664-38-2 | phosphoric acid |
|-----------|-----------------|

· **TSCA (Toxic Substances Control Act):**

| |
|-----------------------------|
| All ingredients are listed. |
|-----------------------------|

· **Proposition 65 (California):**

· **Chemicals known to cause cancer:**

| |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

· **Chemicals known to cause reproductive toxicity for females:**

| |
|-------------------------------------|
| None of the ingredients are listed. |
|-------------------------------------|

· **Chemicals known to cause reproductive toxicity for males:**

| |
|-------------------------------------|
| None of the ingredients are listed. |
|-------------------------------------|

· **Chemicals known to cause developmental toxicity:**

| |
|-------------------------------------|
| None of the ingredients are listed. |
|-------------------------------------|

· **Carcinogenic Categories**

· **EPA (Environmental Protection Agency)**

| |
|-------------------------------------|
| None of the ingredients are listed. |
|-------------------------------------|

· **IARC (International Agency for Research on Cancer)**

| | |
|-----------|-------------------|
| 7647-01-0 | hydrochloric acid |
|-----------|-------------------|

3

(Contd. on page 12)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

Trade name: PTC-85 v.4

(Contd. of page 11)

| | |
|---|-------------------|
| · TLV (Threshold Limit Value established by ACGIH) | |
| 7647-01-0 | hydrochloric acid |
| | A4 |

| | |
|---|--|
| · NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| None of the ingredients are listed. | |

| | |
|--|--|
| · Canada | |
| · Canadian Domestic Substances List (DSL) | |
| All ingredients are listed. | |

| | |
|---|--|
| · Canadian Ingredient Disclosure list (limit 0.1%) | |
| None of the ingredients are listed. | |

| | |
|---|-------------------|
| · Canadian Ingredient Disclosure list (limit 1%) | |
| 7647-01-0 | hydrochloric acid |
| 7664-38-2 | phosphoric acid |

| | |
|--|--|
| · Other regulations, limitations and prohibitive regulations | |
| · Substances of very high concern (SVHC) according to REACH, Article 57 | |
| None of the ingredients are listed. | |

| |
|--|
| · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. |
|--|

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

R34 Causes burns.

R37 Irritating to respiratory system.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 13)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 26.02.2015

Revision: 26.02.2015

Trade name: PTC-85 v.4

(Contd. of page 12)

WHMIS: Workplace Hazardous Materials Information System (Canada)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Met. Corr. 1: Corrosive to metals, Hazard Category 1
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

SATISFACTION

Chadwell
SUPPLY

GUARANTEED

BATH BUDDY

Tile & Grout Cleaner



352020

PRODUCT INFORMATION:

- Mild Acid-Detergent Cleaner
- Removes Scale, Rust and Stains
- Works on Porcelain & Ceramic
- Contains Hydrochloric Acid

pH.....1.5 - 2.5
FormLiquid
FragrancePleasant
Color.....Opaque light blue
Packaged4/1 gl Case

DIRECTIONS FOR USE:

TOILET BOWLS: Remove as much water as possible from bowl. Pour several ounces of cleaner into bowl or saturate mop with cleaner. Mop entire surface thoroughly, flush to rinse.

URINALS: Saturate mop with cleaner, swab all surfaces including flush ring, then flush. Remove strainer, swab inside of drain and outlet, let soak for five minutes, flush again.

TOILET TANKS: Scrub with saturated mop and rinse thoroughly.

FLOORS AROUND BOWLS & URINALS: For concrete floors, dilute with 4 parts water. For ceramic tile floors, dilute with 2 parts water. Apply diluted cleaner with mop and rinse. Wash with neutral floor cleaner. Do not use on marble or resilient flooring.

PORCELAIN ENAMEL: For maintenance of porcelain enamel surfaces, dilute with 4 parts water. Apply with swab or brush. Do not allow cleaner to dry on surface. Rinse immediately with clean cold water.

OTHER SURFACES: To clean painted, lacquered, varnished or plastic surfaces, dilute with 2 parts water, apply with swab or brush, rinse immediately. Cleaner should not remain on surfaces more than 2 minutes. For cleaning of stainless steel coffee urns and sterilizers, dilute with 3 parts water and apply with swab or brush. Rinse.

IMPORTANT SAFETY INFORMATION:



WARNING

May be corrosive to metals. Causes skin irritation. Causes serious eye irritation.

Wear protective gloves, protective clothing, eye protection and face protection. Keep only in original container. Wash hands thoroughly after handling. Store in corrosive resistant container with a resistant inner liner.

IMPORTANT: Do not use on chipped or cracked enamel surfaces or porcelain enamel that is not acid resistant. Do not use on metal or plated fixtures that are not guaranteed acid resistant. Test on an inconspicuous spot before using on colored grouting. Product may cause discoloration. Avoid splashing on cotton or synthetic fabrics.

FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. **IF ON SKIN:** Wash with plenty of soap and water. If skin irritation occurs: Get medical attention.

FOR INDUSTRIAL & INSTITUTIONAL USE

Chemtrec Emergency Response (800) 424-9300

Chadwell SUPPLY

Chadwell Supply
4907 Kearney Blvd. Tampa, FL 33619
(888) 341-2423
www.chadwellsupply.com



352020-0617v2