



SAFETY DATA SHEET

according to US Regulation 29 CFR 1910.1200 and the Canadian HPA

GLB Oxy-Brite

Version 2.0

Revision Date 2020.03.12

Print Date 2021.07.09

SECTION 1. IDENTIFICATION

Product name : GLB Oxy-Brite

Manufacturer or supplier's details

Company : Innovative Water Care, LLC
1400 Bluegrass Lakes Parkway
Alpharetta, GA
30004

Telephone : 1-800-511-6737 (Outside the USA: 1-423-780-2347)
E-mail address : sds@sigurawater.com
Emergency telephone number : 1-800-654-6911 (Outside the USA: 1-423-780-2970)

Recommended use of the chemical and restrictions on use

Recommended use : Water treatment chemical

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion : Sub-category 1B
Serious eye damage : Category 1
Respiratory sensitisation : Category 1
Skin sensitisation : Category 1
Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficul-

GLB Oxy-Brite

Precautionary statements	<p>ties if inhaled. H360 May damage fertility or the unborn child.</p> <p>Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust or mist. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P284 Wear respiratory protection.</p> <p>Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse.</p> <p>Storage: P405 Store locked up.</p> <p>Disposal: P501 Dispose of contents/container in accordance with local regulation.</p>
--------------------------	--

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Hazardous components

Chemical name / Synonyms	CAS-No.	Concentration (% w/w)
Potassium peroxymonosulfate/Potassium	70693-62-8	87 - 95

GLB Oxy-Brite

sulfate/Potassium hydrogen sulfate (2:1:1)		
Dipotassium peroxodisulphate	7727-21-1	1 - 4
Sodium tetraborate pentahydrate	12179-04-3	1 - 4

Active Ingredient in this composition is POTASSIUM PEROXYMONOSULFATE, CAS. No. 10058-23-8, Concentration: 43-47% (Typical 45%)

SECTION 4. FIRST AID MEASURES

If inhaled	:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.
In case of skin contact	:	IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention.
In case of eye contact	:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
If swallowed	:	IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water only.
Specific hazards during firefighting	:	Material will not ignite or burn. Will release oxygen when heated, intensifying a fire
Further information	:	In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8. Use water to cool containers.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus.
---	---	--

GLB Oxy-Brite

Stop source of spill as soon as possible and notify appropriate personnel.
Utilize emergency response personal protection equipment prior to the start of any response.
Evacuate all non-essential personnel.
For disposal considerations see section 13.

- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid inhalation of dust and fumes.
- Conditions for safe storage : Store in a cool dry ventilated location, away from sources of ignition or other incompatible conditions and chemicals. Keep container(s) closed.
- Materials to avoid : Refer to Section 10, "Incompatible Materials."

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dipotassium peroxodisulphate	7727-21-1	TWA	0.1 mg/m ³ (as persulfate)	ACGIH
Sodium tetraborate pentahydrate	12179-04-3	(Inhalable fraction.)		ACGIH
		TWA (Inhalable fraction.)	2 mg/m ³	ACGIH
		STEL (Inhalable fraction.)	6 mg/m ³	ACGIH
		REL	1 mg/m ³	NIOSH/GUIDE

- Engineering measures** : Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other rec-

GLB Oxy-Brite

ommended exposure limit.

Personal protective equipment

Respiratory protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible.
Wear a NIOSH approved N95 respirator.

Hand protection

Remarks : Wear impervious gloves to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body.

Eye protection : Use chemical goggles.

Skin and body protection : Neoprene

Protective measures : An eye wash and safety shower should be provided in the immediate work area.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

Colour : purple

Odour : none

Odour Threshold : no data available

pH : 1.43
Concentration: 10 %
solution

Melting point/freezing point : no data available

Boiling point/boiling range : no data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Product is not known to be flammable, combustible, pyrophoric or explosive.

Flammability (liquids) : no data available

Self-ignition : Not applicable

GLB Oxy-Brite

Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Vapour pressure	:	no data available
Relative vapour density	:	Not applicable
Relative density	:	1.2 (68 °F / 20 °C)
Density	:	no data available
Water solubility	:	250 g/l (68 °F / 20 °C)
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	no data available
Decomposition temperature	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	:	Stable under normal conditions. Product will not undergo hazardous polymerization.
Conditions to avoid	:	High temperatures Exposure to moist air or water
Incompatible materials	:	Oxidizing agents Heavy metal salts Cyanides Halides
Hazardous decomposition products	:	Decomposes when heated or dampened, releasing oxygen and heat Oxides of sulfur

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	
		Eyes Skin

GLB Oxy-Brite

Inhalation
Ingestion

Acute toxicity

Acute oral toxicity : Believed to be > 2,000 mg/kg

Acute dermal toxicity : Believed to be > 2,000 mg/kg

Acute toxicity (other routes of administration) :

Remarks: This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract.

Skin corrosion/irritation

Result: Corrosive to skin

Serious eye damage/eye irritation

Result: Corrosive to eyes

Respiratory or skin sensitisation

Remarks: Possible skin sensitizer based on animal tests

Carcinogenicity

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Repeated dose toxicity

Remarks: Not known or reported to cause subchronic or chronic toxicity.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

GLB Oxy-Brite

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

Ozone-Depletion Potential : Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone-Depleting Substances (40 CFR 82, Subpt. A, App A & B)
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : Moderately toxic to fish and other aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If this product becomes a waste, it will be a nonhazardous waste.
As a nonhazardous solid waste it should be disposed of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

UN number : 3260
Proper shipping name : Corrosive solid, acidic, inorganic, n.o.s.
(Potassium hydrogenperoxomonosulphate)
Transport hazard class : 8
Packing group : II
Labels : 8
Emergency Response Guidebook : 154
Number
Environmental hazards : no

GLB Oxy-Brite

TDG

UN number : 3260
Proper shipping name : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
(Potassium hydrogenperoxomonosulphate)
Transport hazard class : 8
Packing group : II
Labels : 8
Environmental hazards : no

IATA

UN number : 3260
Proper shipping name : Corrosive solid, acidic, inorganic, n.o.s.
(Potassium hydrogenperoxomonosulphate)
Transport hazard class : 8
Packing group : II
Labels : 8
Environmental hazards : no

IMDG

UN number : 3260
Proper shipping name : Corrosive solid, acidic, inorganic, n.o.s.
(Potassium hydrogenperoxomonosulphate)
Transport hazard class : 8
Packing group : II
Labels : 8
EmS Number 1 : F-A
EmS Number 2 : S-B
Environmental hazards : Marine pollutant: no

ADR

UN number : 3260
Proper shipping name : CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
(Potassium hydrogenperoxomonosulphate)
Transport hazard class : 8
Packing group : II
Classification Code : C2
Hazard Identification Number : 80
Labels : 8
Environmental hazards : no

GLB Oxy-Brite

RID

UN number	: 3260
Proper shipping name	: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Potassium hydrogenperoxomonosulphate)
Transport hazard class	: 8
Packing group	: II
Classification Code	: C2
Hazard Identification Number	: 80
Labels	: 8
Environmental hazards	: no
Special precautions for user	: none
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	: Not applicable

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

See above: SECTION 2. Hazard Identification-GHS Classification

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).



GLB Oxy-Brite

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Components	CAS-No.
Dipotassium peroxodisulphate	7727-21-1
Sodium tetraborate pentahydrate	12179-04-3

Pennsylvania Right To Know

Components	CAS-No.
Potassium peroxymonosulfate/Potassium sulfate/Potassium hydrogen sulfate (2:1:1)	70693-62-8

New Jersey Right To Know

Components	CAS-No.
Potassium peroxymonosulfate/Potassium sulfate/Potassium hydrogen sulfate (2:1:1)	70693-62-8
Dipotassium peroxodisulphate	7727-21-1
Sodium tetraborate pentahydrate	12179-04-3
tetra[carbonato(2-)]dihydroxypentamagnesium	7760-50-1

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Canadian lists

NPRI

Canadian National Pollutant Release Inventory (NPRI): No component is listed on NPRI.

The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

GLB Oxy-Brite

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : US. ACGIH Threshold Limit Values
NIOSH/GUIDE : US. NIOSH: Pocket Guide to Chemical Hazards, as amended

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

3

Arch is a wholly-owned subsidiary of Lonza and continues to operate as Arch Chemicals, Inc.
Revision Date : 2020.03.12

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid



GLB Oxy-Brite

for such material used in combination with any other materials or in any process, unless specified in the text.

Date format : yyyy/mm/dd

US / EN